Baureihe MINI-Maschinen MINI machine line

Modelle LW 10 / LW 11

Die LW 10 und LW 11 sind kleine leichte Wickelmaschinen mit separatem Schaltschrank, die auf einen Arbeitstisch gestellt werden. Durch die kleine Abmessung und leichte Konstruktion, können sie leicht zu unterschiedlichen Arbeitsplätzen getragen werden. Die Geschwindigkeit bzw. das Drehmoment der Maschinen kann sehr einfach durch die vorinstallierten Riemenräder geändert werden. Übliche Anwendungsgebiete sind Wicklungen mit hohen Windungszahlen. Die Modelle LW 10 und LW 11 unterscheiden sich von den Steuerungen.

Die LW 10 hat eine einfache Steuerungsvariante mit einem 5.7" Monochrom-Touchscreen. Sie verfügt über alle gängigen Wickelmethoden und ist durch die leicht verständliche Bedieneroberfläche sehr einfach zu verstehen. Alle Sprachen mit lateinischen Buchstaben sind für diese Maschine verfügbar. Darüber hinaus ist sie mit einer USB-Schnittstelle zum Ein- und Auslesen der Wickelprogramme ausgestattet.

Die Hi-Tech Steuerung der LW 11 ist in allen Sprachen verfügbar. Die Programmerstellung erfolgt über einen 10.4" Farb-Touchscreen. Darüber hinaus verfügt die Maschine über eine USB-Schnittstelle für das Ein- und Auslesen von Programmen. Wickelprogramme können auch auf einem externen Computer mit Excel erstellt und in die Steuerung übertragen werden. Eine Netzwerkverbindung ist ebenso möglich wie eine Ferndiagnose über den Internetanschluss.

Selbstverständlich ist eine große Auswahl an Zubehör wie Drahtbremsen, Drahtführer usw. für diese Modelle erhältlich.

The LW 10 and LW 11 are light designed bench top machines with a separate electrical box for all type of linear winding applications. Given small dimension and light construction, it can easily be carried to different working places. Required speed and torque range can be changed by the pre installed transmission gears.

The LW 10 has a simple controller with 5.7" monochrom touch screen. All standard winding methods are available. All languages with Latin characters can be displayed on the controller. It also has an USB connection for import or export winding programs.


The LW 11 with a hi-tech controller is available in all languages. The programs can easily be created by a 10.4" colour touch screen. The machine has an USB connection for import or export of winding programs. The programs can also be read and issued in Excel. A connection to a network is possible, as well as an internet connection by a modem for remote system check of our service personal.


chine too.


A wide range of accessories like wire dereeler,

wire containers etc. are available for this ma-









Drahtbereich0,01 - 1 mmVerlegebreite100 mmUmlaufdurchmesser200 mmmax. Vorschub99 mmAntriebsmotore2 Servos

Display 10.4" oder 5.7" Touchscreen

PC-Anschluss nur bei 10.4"

Programm runterladen USB

Sprachen für Steuerung 10.4" alle Sprachen 5.7" lateinische Zeichen

Vorschubgenauigkeit 0,001 mm **Gewicht** ca. 25 kg

Stromversorgung 1 Ph / 230 V / 16 A

wire range0,01 - 1 mmtraverse length100 mmmax. coil diameter200 mmmax. pitch99 mmdrive motors2 servos

display 10.4" or 5.7" touch screen

PC connection only with 10.4"

downloading program USE

software languages 10.4" all languages

5.7" latin characters accuracy of pitch 0,001 mm

weight approx. 25 kg supply voltages 1 Ph / 230 V / 16 A

Luftspulen air coils



Motorwicklungen



Hochkantwicklungen



Diverse Wickelbeispiele



Transformerwicklungen transformer windings